

Instructions


- Use black ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided - there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box X. If you change your mind about an answer, put a line through the box 🔀 and then mark your new answer with a cross \boxtimes .

Information

- The total mark for this paper is 70.
- The marks for each question are shown in brackets - use this as a guide as to how much time to spend on each question.

Advice


- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.
- Good luck with your examination.











(final speed)² = (initial speed)² + (2 × acceleration × distance moved) $v^2 = u^2 + (2 \times a \times s)$

 $p_1 \times V_1 = p_2 \times V_2$ $pressure \times volume = constant$ pressure $\frac{p_1}{T_1} = \frac{p_2}{T_2}$ = constant temperature $F = \frac{(mv - mu)}{t}$ change in momentum time taken force = change of wavelength = velocity of a galaxy speed of light $\frac{\lambda - \lambda_0}{\lambda_0} = \frac{\Delta \lambda}{\lambda_0} = \frac{v}{c}$ change in thermal energy = mass \times specific heat capacity \times change in temperature $\Delta Q = m \times c \times \Delta T$ Where necessary, assume the acceleration of free fall, $g = 10 \text{ m/s}^2$.

DO NOT WRITE

IN THIS AREA




2

DO NOT WRITE IN THIS AREA

BLANK PAGE





- (i) Which of these is in the shaded area of the diagram?
- A black holes
- B main sequence stars
- C neutron stars
- D protostars
 - (ii) On the diagram, draw the area to show the position of white dwarf stars. Label this area WD.
 - (iii) On the diagram, draw the area to show the position of red giant stars. Label this area RG.
 - (iv) State what is meant by the term **absolute magnitude**.

(1)

(1)

(1)

(2)



- (b) The Sun emits various parts of the electromagnetic spectrum.
 - (i) Which part of the electromagnetic spectrum causes damage to human surface skin cells?
 - microwaves Α
 - **B** radio waves
 - ultraviolet С
 - visible light D

(ii) Which of these increases the risk of damage to human surface skin cells?

(1)

- sunbathing Α
- using protective sun cream В \times
- **C** very cloudy weather

wearing sunglasses D

(Total for Question 1 = 7 marks)




2 Two students investigate the speed of sound.

Student A has a device that makes a loud sound.

Student B has a stopwatch.

A sound wave travels from student A to the wall and is reflected back to student B.



(a) Calculate the total distance the sound wave travels from student A to the wall and back to student B.

(b) Student B hears the sound before and after the sound wave reflects from the wall.

When student B hears the sound before reflection, he starts the stopwatch.

When student B hears the sound after reflection, he stops the stopwatch.

The students repeat this experiment five times.


The table shows the students' results.

		Time in s		
0.50	0.62	0.52	0.58	0.55

Calculate the mean (average) time.

Give your answer to 2 significant figures.

(2)



(c) Calculate the speed of sound for this investigation.

speed =		m/	S
---------	--	----	---

(4)

S AREA	(d) Suggest a reason why the students' results are not always the same.	(1)	
SITE IN THE			
DO NOT W	(Total for Question 2 =		
HIS AREA			



JOT WRITE IN THIS AREA


IO NOT WRI

The diagram shows part of a radio antenna. 3

The plastic tube protects the radio antenna from bad weather.

Dust particles carried by the wind rub against the plastic tube.


After some time, the dust particles cause the tube to become positively charged.



(b) Explain how the plastic tube becomes positively charged.

 \geq THIS ARE D 8





THIS AREA

DO NOT WRITE IN THIS AREA

The energy stored on the tube is 3.7 J.

Calculate the voltage between the plastic tube and the metal mast.

voltage =

(3)

(2)

(e) An engineer is working on the radio antenna.

Describe the hazard to the engineer if there is no earth wire.


-DO NOT WRITE (Total for Question 3 = 11 marks) 9 Turn over

- 4 (a) A student investigates a sound wave with a frequency of 25 000 Hz.
 - (i) Calculate the wavelength of this sound wave.

[speed of sound = 330 m/s]



(ii) The oscilloscope trace represents the sound wave.




Oscilloscope settings

y direction: 1 square = 5V

x direction: 1 square = 0.01 ms

Determine the amplitude of the oscilloscope trace.

DO NOT WRITE IN



(b) (i) Diagram 1 shows a coil of wire wrapped around a cardboard tube.

The coil is fixed to the cardboard tube.

On diagram 1, draw field lines to represent the magnetic field produced when the current is in the direction shown.

(3)






5

Diagram 1



(ii) Diagram 2 shows a model of a loudspeaker that uses the coil and the cardboard tube.

The cardboard tube is fixed to a thin piece of card, which is clamped at bot wends.



DO NOT WRITE IN THIS AREA

(iii) When the frequency of the alternating current is 10 kHz, the student hears a sound.

The student increases the frequency of the alternating current to 25 kHz.

Explain why the student cannot hear a sound now, even though the card is still vibrating.


2)

(iv) Suggest a change to the apparatus that would increase the loudness of the sound when the frequency of the alternating current is 10 kHz.

DO NOT WRITE IN THIS AREA

(Total for Question 4 = 14 marks)






BLANK PAGE



14

DO NOT WRITE IN THIS AREA

The diagram shows some of the apparatus a student uses to investigate the effect of 5 heating a solid substance.



(a) Describe how the student could use their apparatus to help determine the specific heat capacity of the substance.

		1. Same 1. Sa
	10	LOT CO
	~	
	~	
		\mathbf{u}
		Salar C
		ARI
		and the second second
	100	8.85 X X
		department of the
		- March 1997
	~	~~~~
		ഗ
	~	NP-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
		indiah.
		and the second s
		talifadd × 1
	~	the second s
	100	Ŧ.
		Ē
	20	Reading V. V.
		and the second s
	1	
	1	
	100	attention
		100 M
	1	100 V V
		and the second s
		Territory /
	10	and the second s
		N N X X
	~	
	- 14	LLI 🛛
		a
	~	
		Designed Co.
		Sharehow C. C.
		and the second s
		the local of the
		Sector C
	Q	22 ()
ζ	8	12 0
Ś	8	50
Ş	8	20
ŝ	8	20
Ş	8	S.
Ş	8	×.
Ş	8	2
Ş	8	×.
ŝ	8	
	8	
	8	T WI
Ş	8	E WI
Ş		IT WI
Ş		IM IC
		DT WI
		OT WI
		OT WI
		IOT WI
		IOT WI
		NOT WI
		S
		NOT WI
		NOT WI
		00000
		00000
		00000
		00000
		00000
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0
		0

E IN THIS AREA

I	specific ficar capacity of the substance.	
	You should give details of any additional apparatus needed in your answer.	(5)

I		









DO NOT WRITE IN THIS AREA


NOT WRITE IN THIS AREA



(b) The student continues to heat the substance, keeping the power of the heater constant.

The graph shows how the temperature of the substance changes with time








This is a question about a nuclear fusion power station.	
(a) Explain what happens during nuclear fusion.	(3)

(b) The diagram shows how a fusion power station could supply the National Gr the future.	rid in



(i) State the main method of energy transfer from the fusion power station generator to the primary coil of the step-up transformer.

1

NOT WRITE IN THIS AREA



(ii) The fusion power station could supply the input coil of the step-up transformer with a current of 28 kA at a voltage of 21 kV.

The output coil of the transformer has a voltage of 330 kV.

Assume the transformer is 100% efficient.

Calculate the current in the output coil of the transformer.

kA current =

(3)

(Total for Question 6 = 7 marks)




7 The diagram shows two blocks at rest on a table, viewed from above.

A spring is attached to the large block.

The small block is attached by a piece of string to a fixed point on the table.

A student pushes the two blocks together so that the spring is compressed.



(a) The student releases the blocks.

The kinetic energy (KE) store of the small block is 0.29 J when the blocks are no longer in contact.

Show that the speed of the small block is about 6 m/s.



20




(b) Using ideas about momentum, show that the speed of the large block is about 1 m/s after the blocks are no longer in contact.

(4)



TE IN THIS AREA





(d) The small block then moves around the fixed point on the table.

The block moves in a circular orbit of radius 17.6 cm at a constant orbital speed of 6 m/s.

The time period of the orbit can be found using the formula

orbital speed = $\frac{2\pi \times \text{orbital radius}}{\text{time period}}$

Calculate the time period of the orbit.

(3)

DO NOT WRITI

IN THIS AREA

time period =s

(Total for Question 7 = 13 marks)

TOTAL FOR PAPER = 70 MARKS






DO NOT WRITE IN THIS AREA			

BLANK PAGE





BLANK PAGE





